



COUNTERTOP MIX

HOW TO USE:

Always make a sample to gain familiarity and suitability for your casting method, colors and sealers. A metal drum mixer is recommended.

One bag of countertop mix will require 80 ozs. of water. If you are mixing in 4 bag batches stop the mixer after the third bag has mixed in order to scrape any dry material from the sides and paddles of the mixer. Add the fourth bag and continue mixing. The water requirement will vary depending on temperature, humidity and consistency of the mix required. The countertop mix achieves maximum strength when it is placed with an oatmeal consistency. If the consistency is too dry add 1oz. of water per bag until desired consistency is reached. Do not use over 88oz. of water per bag. Allow 3 to 5 mins mixing time before adding more water as product needs time to wet out. Product is wetter than it looks and will work more easily than it first appears, so do not use more water than necessary as this will reduce overall strength, increase curling, and increase the potential for shrinkage cracks. If additional fluidity is desired, the use of an admixture is recommended. If a powder or liquid color is used, mix the color with water before adding the bag mix.

PRECAUTIONARY STATEMENT:

Keep out of reach of children. Use protection gear such as particle masks, eye protection and gloves. Avoid direct skin contact and inhalation of dust particles. Store countertop mix in a dry area prior to use. Use hot pads and cutting boards to avoid damaging wax or sealer. Always perform a test application to ensure suitability of product for job application. Results may vary depending on storage of product, humidity, condition and/or preparation of surface and mixing ratios. Please always test prior to full application.

FIRST AID:

INHALATION: Move to fresh air to avoid nuisance symptoms.

SKIN CONTACT: Wash affected area thoroughly with soap and water. Rinse well. If irritation develops Get Medical Help.

EYE CONTACT: Rinse thoroughly with water for 15 minutes, lifting both eyelids. If irritation persists, Get Medical Help.

INGESTION: Rinse mouth with water. Drink 2 glasses of water to dilute. Do not induce vomiting. Get Immediate Medical Help. Never give anything by mouth to an unconscious person.

IN CASE OF FIRE:

This product is not flammable.

FOR EMERGENCY HELP

24 Hours a Day contact:

INFOTRAC at 1-800-535-5053

Manufactured In The USA By



**Product warranty for one year from date of manufacture*

For more information on EZChem USA and all products manufactured by EZChem please visit our website: www.ezchemusa.com