



# WATER BASED URETHANE PARTS A & B

## **SURFACE PREP & APPLICATION CONDITIONS:**

New concrete should be allowed to cure for a minimum of 28 days. The concrete must be structurally sound, dry, and free of grease, oils, coatings, dust, curing compounds and other coatings or contaminant. Temperature of the air, substrate and material should be between 50°F and 95°F. Relative humidity should not be above 80%. Two coats are recommended with a minimum of 6 hours and a maximum of 24 hours dry time between coats.

## **MIXING INSTRUCTIONS:**

Mix Part A by using a low speed drill with mixing attachment for 2 minutes. Add Part "B". Mix an additional 2 minutes. Mix only the amount of material that can be applied during the pot life (approximately 1.5 hour, depending on air/surface temperatures). Do not aerate the mix, but let sit for 3-4 minutes for induction time. Apply immediately.

## **APPLICATION & CLEAN UP:**

Apply using a 1/4" short nap roller for horizontal surfaces; 1" nap for vertical surfaces. Apply light coats no more than 24 hours between coats. Use paint pan to control amounts.

Clean tools and application equipment immediately after use with water first and wipe; then use an active solvent like xylene. Clean spills and drips while still wet with xylene. Dispose of container and contents in accordance with local laws and regulations.

## **PRECAUTIONARY STATEMENT:**

**PART A:** Do not handle until all safety precautions have been read and understood. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Dispose of contents/ container according to local, state and federal regulations.

**PART B:** Do not handle until all safety precautions have been read and understood. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Dispose of contents/ container according to local, state and federal regulations. Contains isocyanates. May produce an allergic reaction.

## **FIRST AID:**

**EYES:** Flush thoroughly with water, lifting both eyelids. Get Medical Help.

**SKIN:** Wash with soap and water. Remove and launder contaminated clothing before reuse. If irritation develops, Get Medical Help.

**INGESTION:** Do not induce vomiting. Get Immediate Medical Help.

**INHALATION:** Remove to fresh air immediately. If breathing difficulty continues, administer oxygen and Get Medical Help.

## **IN CASE OF FIRE:**

Use fire extinguishing methods suitable to surrounding conditions.

## **FOR EMERGENCY HELP**

**24 Hours a Day contact:**

**INFOTRAC at 1-800-535-5053**

Manufactured In The USA By



*\*Product warranty for one year from date of manufacture*  
For more information on EZChem and all products manufactured by EZChem please visit our website: [www.ezchemusa.com](http://www.ezchemusa.com)