



Safety Data Sheet
May be used to comply with OSHA's Hazard
Communication Standard (HCS), 29 CFR 1910, 1200.
Standard must be consulted for specific requirements.

EZ AGG SEALER 30%

SECTION I: IDENTIFICATION

EZCHEM, Inc.
92 Don Westbrook Ave. N Jasper, GA
30143

Emergency Telephone Number: 1-800-535-5053
Telephone Number for Information: 706-253-5055

Product Name: **EZ AGG Sealer 30%**

Product Use: Aggregate Sealer

SECTION II: HAZARD IDENTIFICATION

WARNING

Hazard Classification:

OSHA Regulatory Status:

This chemical is considered hazardous by the 2012 OSHA Hazard
Communication Standard (29 CFR 1910.1200)

Signal Word: DANGER

Acute toxicity - Oral: Category 5

Acute toxicity - Inhalation (Vapors): Category 4

Skin corrosion/irritation: Category 2

Serious eye damage/eye irritation: Category 2A

Carcinogenicity: Category 2

Specific target organ toxicity (single exposure): Category 3

Aspiration toxicity: Category 2

Flammable Liquids: Category 3

Hazardous to the Aquatic Environment - Long Term
(Chronic) Hazard: Category 2

Hazard Pictograms:



Hazard Statements:

Highly flammable

Suspected of Causing Cancer

Toxic to Aquatic Life with Long Lasting Effects

Causes Serious Eye Irritation

May Cause Respiratory Irritation

May Cause Drowsiness or Dizziness

May be Harmful if Swallowed

May be Harmful if Swallowed and Enters Airways

Causes Skin Irritation

Appearance: Transparent Liquid

Physical State: Liquid

Odor: Solvent



SECTION II: HAZARD IDENTIFICATION continued

Precautionary Statements - Prevention:

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Keep away from heat/sparks/open flames/hot surfaces. - No smoking
Keep container tightly closed
Ground/bond container and receiving equipment
Use explosion-proof electrical/ ventilating / lighting/ ./ / equipment
Use only non-sparking tools
Take action to prevent static discharges
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Use only outdoors or in a well-ventilated area
Avoid release to the environment
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response:

IF exposed or concerned: Get medical advice/attention
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower
If skin irritation occurs: Get medical advice or attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contacts, if present and easy to do.
Continue rinsing.
If eye irritation persists: Get medical advice/attention
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/
doctor if you feel unwell. **IF SWALLOWED:** Immediately call a POISON CONTROL CENTER/doctor
Do NOT induce vomiting.
Take off contaminated clothing and wash before reuse
In case of fire use, "alcohol resistant" foam, dry chemical, halon or carbon dioxide to extinguish.
Collect spillage

Precautionary Statements - Storage:

Store in well-ventilated place. Keep Cool. Keep container tightly closed. Store locked up.

Precautionary Statements - Disposal:

Dispose of contents/container in accordance with local/regional/national regulations.

Hazards not otherwise classified (HNOC):

Repeated exposure may cause skin dryness or cracking

Other Information



Safety Data Sheet
May be used to comply with OSHA's Hazard
Communication Standard (HCS), 29 CFR 1910, 1200.
Standard must be consulted for specific requirements.

SECTION V – FIRE AND EXPLOSION HAZARD DATA

Suitable Extinguishing Media: Foam, dry chemical, sand, earth, CO₂

Unsuitable Extinguishing Media: Do not use water jet.

Fire Hazard: Flammable

Explosion Hazard: None

Reactivity: Not reactive.

Products of Combustion: CO, organic vapors.

Special Hazards Arising from the Substance or Mixture: Over heated or burning product will boil off flammable fumes and heavy smoke. Rags soaked with product are highly flammable.

Special Remarks and Advice for Firefighters: Cool fire exposed containers with water. Wear NIOSH/MSHA approved self contained breathing apparatus.

SECTION VI – ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Wear protective equipment (See section VIII). Keep unprotected persons away.

Methods and material for containment and cleaning up:

Spill Response: Eliminate all ignition sources. Confine spill and reclaim by mopping or collect on absorbent material. Store in a sealable container. Do not flush to drain.

Waste Disposal: Seal container and dispose of at an approved waste disposal site as permitted by local and federal regulations.

Environmental precautions: Marine pollutant. Do not allow product to flow into surface water, lakes or streams



SECTION VII – PRECAUTIONS FOR SAFE HANDLING AND STORAGE

Handling

Precautions for safe handling: Wash hands after using. Do not contaminate food or feed stuff.

Additional Hazards: Avoid all open flames or sparks.

Hygiene Measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Storage

Storage Conditions: Store in sealed original container.

Storage Area: Store at room temperature.

Incompatible Products and Materials: Alcohol and water based solvents.

SECTION VIII – EXPOSURE CONTROL MEASURES

Exposure Limits: TLU = 25ppm

Appropriate Engineering Controls: General ventilation.

Personal Protective Equipment:



Hand: Protective Gloves

Eye: Safety Glasses

Skin and Body: None required.

Respiratory: When in enclosed areas.

Additional Information: None.



SECTION IX – PHYSICAL/CHEMICAL CHARACTERISTICS

Appearance	Form: Liquid Color: Colorless Odor: Solvent
pH-value:	NA
Boiling Point/Boiling Range:	320-350°F
Freezing Point:	NA
Flash Point:	35°C
Auto Igniting:	Product is not self-igniting.
Vapor Pressure:	NE
Vapor Density:	NA
Viscosity:	NA
Solubility:	Insoluble
Evaporation Rate:	NE
Flammability:	Flammable
Decomposition Temperature:	NE

SECTION X – REACTIVITY DATA

Conditions to be avoided: None known.
Incompatible materials: Strong oxidizing agents, alcohol.
Hazardous Decomposition Products: CO, organic vapors.
Reactivity: Not reactive.
Chemical Stability: Stable.
Possibility of Hazardous Reactions: None known.

SECTION XI – TOXICOLOGICAL INFORMATION

Acute toxicity: LD-50 2900mg/kg (oral)
LD-50 2900ppm (inhalation)
Likely Route of Exposure: Skin
Exposure Symptoms:
Eyes: Pain, redness, blurred vision, may form film
Skin: Irritation, drying.
Inhalation: Headache, dizziness, narcosis.
Ingestion: Nausea, abdominal pain, diarrhea, toxic reaction, CNS depression.
Effects (Short-term, Long-term):
Immediate: Ingestion, Eye contact
Delayed: Skin contact.
Chronic: NE
Carcinogenicity: No.
Sensitization: No sensitizing effects known.



SECTION XII - ECOLOGICAL INFORMATION

Aquatic toxicity: No.

Persistence and Degradability: No further relevant information available.

Behavior in Environmental Systems: No further relevant information available.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: NE

Other Adverse Effects: None known.

SECTION XIII - DISPOSAL CONSIDERATIONS

Recommendation: Dispose of as non-hazardous waste.

Recommended Cleansing Agent: Paint thinner.

Additional Information: Refer to Section 8

SECTION XIV - TRANSPORT INFORMATION

UN-Number: UN1268 [Exceptions - CFR49 - 173.150(f)]

UN Proper Shipping Name: Petroleum Distillates N.O.S.

Transport Hazard Class: Combustible - Non Regulated.

Packing Group: III


Environmental Hazards:

Additional Information: None.

Special Precautions for User: None.

SECTION XV - OTHER REGULATORY INFORMATION

NFPA Ratings (Scale 0-4)



Health: 2
Fire: 2
Reactivity: 0

 **WARNING:** Cancer
– www.P65Warnings.ca.gov

SECTION XVI - OTHER INFORMATION

Last Updated: 6/1/2015

NOTE: The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to silica contained in our products. End of SDS.