

May be used to comply with OSHA's Hazard Communication Standard (HCS), 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

WATER BASED URETHANE PART A

SECTION I: IDENTIFICATION

EZCHEM, Inc. 92 Don Westbrook Ave N Jasper, GA 30143 Emergency Telephone Number: I-800-535-5053 Telephone Number for Information: 706-253-5055

Hazard Pictograms:

None Required.

Product Name: Water Based Urethane Part A

Product Use: Floor Coating

SECTION II: HAZARD IDENTIFICATION

Signal Word: Not required.

Hazard Classification:

Not Classifed as a hazardous material. **Hazard Statements:**

None required.

Precautionary Statements:

None required.

SECTION III: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components: CAS No. Percentage %

Contains no hazardous ingredients according to 29 CFR 1910.1200

SECTION IV – FIRST AID MEASURES

General Information: Immediately remove any clothing soiled by the product and launder before reuse. **After inhalation:** Remove to fresh air.

After skin contact: Wash with soap and water. Remove contaminated clothing, and launder before reuse.

After eye contact: Flush with water for at least 15 minutes, lifting both eyelids. If irrtation persists, Get

Medical Help.

After ingestion: Drink two glasses of water. Induce vomiting if directed by medical personnel. Get Medical

Help. Do not attempt to give liquids to an unconcious person.

Most Important Symptoms and Effects:

Acute: None. Delayed: None.



May be used to comply with OSHA's Hazard Communication Standard (HCS), 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

SECTION V – FIRE AND EXPLOSION HAZARD DATA

Suitable Extinguishing Media: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Unsuitable Extinguishing Media: None known

Fire Hazard: Non-Flammable Explosion Hazard: None Reactivity: Not reactive.

Products of Combustion: NA

Special Hazards Arising from the Substance or Mixture: None.

Special Remarks and Advice for Firefighters: Firefighters should wear NIOSH/MSHA approved

self-contained breathing apparatus and full protective clothing.

SECTION VI – ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Wear protective equipment (See section VIII). Keep unprotected persons away. Ensure adequate ventilation

Methods and material for containment and cleaning up:

Spill Response: Contain and collect spillage with non-combustible, absorbent material.

Waste Disposal: Dispose of according to local, state and federal regulations.

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND STORAGE

Handling

Precautions for safe handling: Wash hands after using. Do not contaminate food or feed stuff.

Additional Hazards: None known.

Hygiene Measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Storage

Storage Conditions: Store in sealed original container in a dry area.

Storage Area: Store at room temperature. Incompatible Products and Materials: None.



May be used to comply with OSHA's Hazard Communication Standard (HCS), 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

SECTION VIII - EXPOSURE CONTROL MEASURES

Exposure Limits: NE

Appropriate Engineering Controls: General ventilation. In enclosed spaces, use a respirator.

Personal Protective Equipment:





Hand: Protective Gloves - Wear gloves of adequate length to offer appropriate skin protection.

Eye: Safety Glasses/Goggles Skin and Body: None required. Respiratory: None required.

Additional Information: None.

SECTION IX – PHYSICAL/CHEMICAL CHARACTERISTICS

Appearance Form: Liquid

Color: Clear Odor: Mild

pH-value: NA
Boiling Point/Boiling Range: NA
Freezing Point: NA
Flash Point: NA

Auto Igniting: Product is not self-igniting.

Vapor Pressure:NEVapor Density:NEViscosity:NAEvaporation Rate:NE

Flammability: Non-Flammable

Decomposition Temperature: NE



May be used to comply with OSHA's Hazard Communication Standard (HCS), 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

SECTION X – REACTIVITY DATA

Conditions to be avoided: No specific data.

Incompatible materials: None.

Hazardous Decomposition Products: None known.

Reactivity: Not reactive. Chemical Stability: Stable.

Possibility of Hazardous Reactions: None known.

SECTION XI – TOXICOLOGICAL INFORMATION

Acute toxicity:

Exposure Symptoms:

Eyes: No irritant effect.
Skin: No irritant effect.
Inhalation: No irritant effect.
Ingestion: No irritant effect.

Effects (Short-term, Long-term):
Immediate: No irritant effect.
Delayed: No irritant effect.

Chronic: .
Carcinogenicity:
Sensitization:

SECTION XII - ECOLOGICAL INFORMATION

Aquatic toxicity: Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground

Persistence and Degradability: No further relevant information available.

Behavior in Environmental Systems: No further relevant information available.

Bioaccumulative Potential: NE **Mobility in Soil:** Not mobile.

Other Adverse Effects: None known.



May be used to comply with OSHA's Hazard Communication Standard (HCS), 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

SECTION XIII - DISPOSAL CONSIDERATIONS

Recommendation: Dispose of according to local, state and federal regulations.

Recommended Cleansing Agent:

Additional Information: Refer to Section 8

SECTION XIV – TRANSPORT INFORMATION

UN-Number: Not Regulated

UN Proper Shipping Name: Transport Hazard Class:

Packing Group:

Environmental Hazards:

Additional Information:

Special Precautions for User:

SECTION XV - OTHER REGULATORY INFORMATION

NFPA Ratings (Scale 0-4)





SECTION XVI - OTHER INFORMATION

Last Updated: 6/1/2015

NOTE: The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to silica contained in our products. End of SDS.



May be used to comply with OSHA's Hazard Communication Standard (HCS), 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

WATER BASED URETHANE PART B

SECTION I: IDENTIFICATION

EZCHEM, Inc. 92 Don Westbrook Ave N Jasper, GA 30143 Emergency Telephone Number: I-800-535-5053 Telephone Number for Information: 706-253-5055

Product Name: Water Based Urethane - Part B

Product Use: Floor Coating

SECTION II: HAZARD IDENTIFICATION

Signal Word: WARNING Hazard Classification:

Skin Corrosion/Irritation, Category I C Respiratory Sensitization, Category I

Hazard Statements:

H317 - May cause an allergic skin reaction.

H332 - Harmful if inhaled.

H335 - May cause respiratory irritation.

Precautionary Statements:

P201 – Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 – Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 – Wash hands thoroughly after handling.

P270 – Do no eat, drink or smoke when using this product.

P280 – Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352 – IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 — IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 – IF exposed or concerned: Get medical advice/attention.

P332 + P313 – If skin irritation occurs: Get medical advice/attention.

P362 – Take off contaminated clothing and wash before reuse.

P405 – Store locked up.

P501 – Dispose of contents/container to approved waste disposal site.

Hazard Pictograms:





May be used to comply with OSHA's Hazard Communication Standard (HCS), 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

SECTION III: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components:CAS No.Percentage %Hexane, I,6-diisocyanato-, homopolymer28182-81-250-100%hexamethylene-di-isocyanate822-06-0>1%

SECTION IV – FIRST AID MEASURES

General Information: Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. Take affected persons out into the fresh air.

After inhalation: Remove to fresh air. Provide oxygen treatment if affected person has difficulty breathing. After skin contact: Wash with soap and water. Remove contaminated clothing, and launder before reuse. After eye contact: Flush with water for at least 15 minutes, lifting both eyelids. If irritation persists, Get Medical Help.

After ingestion: Drink two glasses of water. Induce vomiting if directed by medical personnel.**Get Medical Help.** Do not attempt to give liquids to an unconcious person.

Most Important Symptoms and Effects (Acute and Delayed):

Asthma attacks - Allergic reactions - Coughing - Breathing difficulty - Profuse sweating - Gastric or intestinal disorders when ingested.

SECTION V – FIRE AND EXPLOSION HAZARD DATA

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

Unsuitable Extinguishing Media: None known

Fire Hazard: Non-Flammable Explosion Hazard: None Reactivity: Not reactive. Products of Combustion: NA

Special Hazards Arising from the Substance or Mixture: During heating or in case of fire poisonous gases are produced.

Special Remarks and Advice for Firefighters: Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

SECTION VI – ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Methods and material for containment and cleaning up:

Spill Response: Contain and collect spillage with non-combustible, absorbent material.

Waste Disposal: Dispose of according to local, state and federal regulations.

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



May be used to comply with OSHA's Hazard Communication Standard (HCS), 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND STORAGE

Handling

Precautions for safe handling: Prevent formation of aerosols. Keep receptacles tightly sealed. Use only in well ventilated areas. Avoid splashes or spray in enclosed areas.

Additional Hazards: None known.

Hygiene Measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Storage

Storage Conditions: Avoid storage near extreme heat, ignition sources or open flame. Protect from humidity and water.

Storage Area: Store away from foodstuffs. Store away from oxidizing agents. Store away from water. Do not store together with acids. Store in cool, dry conditions in well sealed receptacles.

Incompatible Products and Materials: None.

SECTION VIII - EXPOSURE CONTROL MEASURES

Exposure Limits: NE

Appropriate Engineering Controls: General ventilation. In enclosed spaces, use a respirator.

Personal Protective Equipment:





Hand: Protective Gloves - Wear gloves of adequate length to offer appropriate skin protection.

Eye: Safety Glasses/Goggles Skin and Body: None required. Respiratory: None required.

Additional Information: None.



May be used to comply with OSHA's Hazard Communication Standard (HCS), 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

SECTION IX - PHYSICAL/CHEMICAL CHARACTERISTICS

AppearanceForm: Liquid

Color: Clear

Odor: Nearly odourless

pH-value: Not determined.

Boiling Point/Boiling Range: NA Freezing Point: NA

Flash Point: $365 \,^{\circ}\text{F} / 185 \,^{\circ}\text{C}$ Auto Igniting: $883 \,^{\circ}\text{F} / 445 \,^{\circ}\text{C}$

Vapor Pressure:NEVapor Density:NEViscosity:NASolubility:InsolubleEvaporation Rate:NE

Flammability: Non-Flammable

Decomposition Temperature: NE

SECTION X – REACTIVITY DATA

Conditions to be avoided: No specific data.

Incompatible materials: None.

Hazardous Decomposition Products: Carbon monoxide and carbon dioxide. Nitrogen oxides (NOx). Isocyanate

Reactivity: Contact with acids releases toxic gases. Toxic fumes may be released if heated above the decomposition point. Exothermic polymerization. Reacts with catalysts, oxidizing agents and strong alkali.

Chemical Stability: Stable.

Possibility of Hazardous Reactions: None known.

SECTION XI - TOXICOLOGICAL INFORMATION

Acute toxicity:

Exposure Symptoms:

Eyes: Slight irritant effect on eyes.

Skin: Slight irritant effect on skin and mucous membranes.

Sensitization: Sensitization possible through skin contact. Sensitizing effect through inhalation is possible by prolonged exposure.

Additional Information: The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful - Irritant - Danger through skin adsorption. - Toxic and/or corrosive effects may be delayed up to 24 hours. Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.



May be used to comply with OSHA's Hazard Communication Standard (HCS), 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

SECTION XII - ECOLOGICAL INFORMATION

Aquatic toxicity: No further relevant information available.

Persistence and Degradability: No further relevant information available.

Behavior in Environmental Systems: No further relevant information available.

Bioaccumulative Potential: NE Mobility in Soil: Not mobile.

Other Adverse Effects: None known.

SECTION XIII - DISPOSAL CONSIDERATIONS

Recommendation: Dispose of according to local, state and federal regulations.

Recommended Cleansing Agent:

Additional Information: Refer to Section 8

SECTION XIV – TRANSPORT INFORMATION

UN-Number: Not Regulated

UN Proper Shipping Name: Transport Hazard Class:

Packing Group:

Environmental Hazards:

Additional Information:

Special Precautions for User:

SECTION XV - OTHER REGULATORY INFORMATION

NFPA Ratings (Scale 0-4)





SECTION XVI - OTHER INFORMATION

Last Updated: 6/1/2015

NOTE: The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to silica contained in our products. End of SDS.